



Researchers Find Potential Target For Treating Metastatic Cancer

Released: 12/13/2011 3:15 PM EST

Source: [Moffitt Cancer Center](#)

Newswise — TAMPA, Fla. (Dec. 13, 2011) – Finding ways to counteract or disrupt the invasive nature of cancer cells, called “metastasis,” has been a long-term goal of cancer researchers. Now, researchers at Moffitt Cancer Center in Tampa, Fla., have identified an interactive pathway that regulates metastases in some cancers that may be vulnerable to chemical targeting in order to prevent cancer cell proliferation and tumor growth.

Ongoing collaboration by researchers in Moffitt’s Departments of Tumor Biology and Drug Discovery has revealed the potential for combating metastatic disease by disrupting the interaction between the retinoblastoma tumor suppressor protein (Rb) and Raf-1 (a gene with a potential to cause cancer) with RRD-251, a selective, chemical disrupter of Rb-Raf-1 interaction.

Their recent study, aimed at understanding the association between Rb-Raf-1 and genes known to be over-expressed in metastatic non-small lung cancer, was published in the recent issue of *Cancer Research*, a journal of the American Association for Cancer Research. This work, using a mouse model, was a continuation of the researchers’ study of RRD-251’s successful disruption of Rb-Raf-1 interaction in metastatic melanoma in test mice, a study published in *Molecular Cancer Therapeutics* in 2010.

“The Rb gene is mutated in a variety of cancers,” said study corresponding author Srikumar P. Chellappan, Ph.D., chair of Moffitt’s Department of Tumor Biology and scientific director of the National Functional Genomics Center. “Our earlier studies have shown that Raf-1 interacts with Rb early in the cell cycle and facilitates its inactivation.”

The ongoing work of Chellappan and his colleagues in Moffitt’s Department of Tumor Biology focuses on understanding the mechanisms by which external signals regulate cell proliferation and how a loss of regulation may cause cancer. They work extensively with the Rb protein, the Raf-1 signaling molecule, and E2Fs, genes that affect cell

Translate article text: new Select Language ▼

Sections: [Medicine](#)

Channels: [Cancer](#)

Keywords: [Cancer](#), [Metastatic Cancer](#), [Rb](#), [Raf-1](#), [Cancer Research](#)

Contact Information

Available for logged-in reporters only

Description

Finding ways to counteract or disrupt the invasive nature of cancer cells, called “metastasis,” has been a long-term goal of cancer researchers. Now, Moffitt Cancer Center researchers have identified an interactive pathway that regulates metastases in some cancers that may be vulnerable to chemical targeting in order to prevent cancer cell proliferation and tumor growth.

Citations

Cancer Research

Like

[Add A Comment](#) •

Share

Related Stories

[Channel](#) [Keywords](#) [Source](#)

More stories from this channel:

Cancer

- [1. Blocking Telomerase Kills Cancer Cells but Provokes Resistance, Progression](#)
- [2. Telomere Failure, Telomerase Activation Drive Prostate Cancer Progression](#)
- [3. Jefferson’s Kimmel Cancer Center Establishes Center to Eliminate Cancer Disparities](#)
- [4. Video Games Lead to New Paths to Treat Cancer, Other Diseases](#)
- [5. Salk Researchers Find New Drug Target for Lung Cancer](#)

proliferation, differentiation and cell death (apoptosis).

E2Fs, a family of genes that play a role in the mammalian cell cycle and can transform normal cells to have properties of cancer cells, interact with Rb. In addition, E2Fs are important for the development, differentiation and DNA damage repair programs in cells. Their previous studies have shown that RRD-251-mediated disruption of the Rb-Raf-1 interaction could inhibit the activity of E2F. They now show that E2Fs regulate matrix metalloproteinases (MMPs), which are involved in cancer metastasis, and RRD-251 can prevent the expression of MMPs.

“A considerable amount of research has been dedicated to identifying novel E2F- regulated genes, but a clear role for E2Fs in cancer progression and metastasis had not been established,” explained Chellappan. “We find that the Rb-E2F pathway contributes to the expression of many genes involved in different aspects of cancer, and that targeting this pathway might fight metastatic disease.”

Their study found that a mouse model of non small cell lung cancer metastasis being treated with RRD-251 had “significantly less metastasis to the lung and surrounding areas.” They concluded that disrupting the Rb-Raf-1 interaction using RRD-251 could inhibit the regulatory function of E2Fs as an activator of gene promoters that are related to tumor growth and metastases.

“There is a possibility that E2F might indirectly regulate tumor metastasis as a consequence of its activating these genes,” suggested Chellappan. “Taken together, our studies link the Rb-E2F cell cycle regulatory pathway to advanced stages of cancer development and metastasis.”

Although further studies are underway, their work suggests that disrupting Rb-Raf-1 interaction can prevent cancer cell proliferation, cell vascular growth (angiogenesis), tumor growth, and the metastatic colonization of organs.

“This approach appears to be a fruitful avenue to combat metastatic disease,” concluded Chellappan.

About Moffitt Cancer Center

Follow Moffitt on Facebook:

www.facebook.com/MoffittCancerCenter

Follow Moffitt on Twitter: @MoffittNews

Follow Moffitt on YouTube: MoffittNews

Located in Tampa, Florida, Moffitt Cancer Center is an NCI Comprehensive Cancer Center – a designation that recognizes Moffitt's excellence in research and contributions to clinical trials, prevention and cancer control. Moffitt

6. Low Molecular Weight Heparin Use in Cancer Treatment

Most Popular

Viewed

Clipped

Shared

1. [Reformulated Imatinib Eliminates Morphine Tolerance in Lab Studies](#)
2. [Library Digitizes Civil War Diaries from Valley Family](#)
3. [Nuts, Beans, and Seeds May Boast Significant Nutrients Based on Studies and Research](#)
4. [Researchers Warn Nanoparticles in Food, Vitamins Could Harm Health](#)
5. [Tongue Drive System Goes Inside the Mouth to Improve Performance and User Comfort](#)
6. [Nasty “Superbug” Is Being Studied by UB Researchers](#)

currently has 14 affiliates in Florida, one in Georgia, one in Pennsylvania and two in Puerto Rico. Additionally, Moffitt is a member of the National Comprehensive Cancer Network, a prestigious alliance of the country's leading cancer centers, and is listed in U.S. News & World Report as one of "America's Best Hospitals" for cancer. Moffitt marks a very important anniversary in 2011 – 25 years committed to one mission: to contribute to the prevention and cure of cancer.

Media release by Florida Science Communications

###

Comment/Share



Login

Share

Follow

Cancel

Post

Echo 1 Items

[Admin](#)



Larkin Callaghan

Researchers Find Potential Target For Treating [#Metastatic #Cancer](#): <http://bit.ly/u0BAne> [#treatment](#) [#prevention](#)

Tuesday, December 13, 2011, 3:37:47 PM – Reply

[via Twitter](#)